

IN THE CLAIMS:

Please amend claims 1-9 and add new claims 10-120, as indicated in the complete listing of claims provided below.

- 55 B, >
1. (currently amended) A ~~device system~~ for viewing Internet content, the system comprising such that:
a portable device; and
a host computer coupled to the portable device through a communication link;
wherein the host computer receives information about a web page from outside and renders ~~that said~~ information into an image of the web page in memory of the host computer in response to a request from the portable device, said information including text and graphics;
wherein a software program running on the device implements a device browser window with icons ~~providing web functions~~ which are fixed with respect to a device browser window;
wherein the host computer reduces the color depth of a portion of the image of the web page which portion is on the host computer proportional to the size of the device browser window ~~is reduced~~, digitally compresses and transmits the portion of the image of the web page compressed and transmitted to the device, where ~~it the portion of the image of the web page~~ is decompressed and stored into a display memory on the device for display view ~~by a user~~;
wherein the device enables ~~the a~~ user to scroll the image of the web page inside the device browser window ~~whereby and sends a message is sent~~ to the host computer ~~of the exact scroll commands~~ informing the host computer ~~where the user has scrolled to, such that~~ scrolling operations occurred in the device browser; and
- Az

wherein when a part of the image of the web page that would appear in is brought into the device browser window but has not been sent to the device, the part of the image of the web page is sent from the host computer to the device.

- A ✓
2. (currently amended) A ~~device system~~ as claimed in ~~Claim 1 whereby~~ claim 1 wherein each ~~portion~~ portions of the image of the web page scrolled to into the device browser window for display are and sent to the device from the host computer and is stored collectively as a page on the device, in the same locations as they appear on the web page, with new portions scrolled to added to the page stored on the display memory of the device, without common overlapping areas of the image being serolled to sent more than once from the host computer to the device during scrolling of the image in the device browser window.
 3. (currently amended) A ~~system device~~ as claimed in ~~claim 1 wherein~~ Claim 1 whereby each the image of the web page viewed is stored on the host computer and also on a memory in the device along with information on which portions of web pages the image have been were sent to the device, including information on links between web pages viewed, enabling displaying the image of the web page previously viewed web pages to be retrieved from memory of the device without the same portions being sent again from the host computer to the device after displaying one or more different web pages.
 4. (currently amended) A ~~system device~~ as claimed in ~~claim 1 wherein~~ Claim 1 such that when the user clicks on a link to a new web page, image data of the current web page is removed from the display memory, compressed and stored on the device in a

different memory location with information on links between web pages viewed, for view again by the user at a later time, whereby a portion of an image of the new web page rendered by the host computer is received from the host computer by the device, decompressed and stored in the display memory ~~and displayed for view.~~

- A₂
5. (currently amended) A system device as claimed in claim 1 wherein information about Claim 1 whereby the last area displayed in the device browser window ~~scrolled to or viewed by the user~~ is stored in memory on the device for ~~each the~~ web page viewed, wherein ~~whereby~~ upon returning to a ~~previously the~~ viewed web page, said last area displayed ~~scrolled to and viewed~~ appears first ~~on in~~ in the device browser window.
6. (currently amended) A system device as claimed in claim 1 wherein Claim 1, ~~such that~~ the host computer reduces the color depth of the entire web page before the portion of the image of the web page, which portion is equal in size to the device browser window, is ~~reduced,~~ digitally compressed and transmitted to the device.
7. (currently amended) A system device as claimed in claim 1 wherein Claim 1, ~~such that~~ the host computer ~~reduces the color depth and~~ digitally compresses the image of the entire web page before the portion of the image of the web page, which portion is equal in size to the device browser window, is transmitted to the device.
8. (currently amended) A system as in claim 1 ~~device for viewing Internet content such that~~ wherein:

~~a host computer receives information about a web page from outside and renders that information in memory;~~

~~a software program running on the device implements a device browser window with icons providing web functions which are fixed with respect to a device window;~~

~~the color depth of a portion of the web page on the host computer proportional to the size of the device browser window is reduced, digitally compressed and transmitted to the device, where it is decompressed and stored into a display memory on the device for view by a user;~~

~~the device enables the user to scroll inside the device browser window whereby a message is sent to the host computer of the exact scroll commands informing the host computer where the user has scrolled to, such that part of the web page that would appear in the device browser window is sent to the device;~~

~~areas of each web page viewed are stored on the host computer and also on a memory in the device along with information on which areas of web pages were sent to the device such that when, whereby scrolling to a new area outside an area of a web page previously viewed, the device sends a message from the device to the host computer instructing the host computer to send this new area to be sent to the device which is then digitally compressed and transmitted to the device for display, where it is decompressed and stored into a display memory on the device for view by a user.~~

- A2
9. (currently amended) A system as in claim 1 wherein device for viewing Internet content such that:

~~a host computer receives information about a web page from outside and renders that information in memory;~~

~~a software program running on the device implements a device browser window with icons providing web functions which are fixed with respect to a device window;~~

~~the color depth of a portion of the web page on the host computer proportional to the size of the device browser window is reduced, digitally compressed and transmitted to the device, where it is decompressed and stored into a display memory on the device for view by a user;~~

~~the device enables the user to scroll inside the device browser window whereby a message is sent to the host computer of the exact scroll commands informing the host computer where the user has scrolled to, such that part of the web page that would appear in the device browser window is sent to the device;~~

~~web pages and corresponding areas frequently viewed by the user are stored on the host computer, whereby such that, when entering the address of a frequently viewed web page is entered on the device, the device sends a message containing the web page address to the host computer, which recognizes this frequently viewed web page and automatically sends corresponding areas frequently viewed to be displayed on the device for view by the user.~~

- Ar
10. (new) A method to view Internet content, the method comprising:
sending from a device to a remote server a first request for a first web page;
automatically receiving at the device from the remote server in a compressed format a first portion of a first image of the entire first web page;

displaying, on a display of the device, at least a part of the first portion of the first image of the entire first web page;

receiving, at the device, user input to display a second portion of the first image of the entire first web page;

transmitting, from the device to the remote server, data indicating the user input to display the second portion of the first image of the entire first web page;

receiving at the device from the remote server in a compressed format the second portion of the first image of the entire first web page only when the second portion of the first image has not been transmitted from the remote server to the device;

displaying the second portion of the first image of the entire first web page on the display of the device;

wherein the first and second portions of the first image of the entire first web page are rendered at the remote server from information defining the first web page;
and

wherein at least one of the first and second portions of the first image is rendered at the remote server from information including text.

- Ar
11. (new) The method of claim 10, wherein the remote server retrieves the information defining the first web page from the Internet in response to the first request for the first web page.
 12. (new) The method of claim 10, wherein the user input to display the second portion of the first image of the entire first web page comprises input to scroll.

- Ar
13. (new) The method of claim 12, wherein the user input causes a visible part of the first portion being shown on the display of the device together with the second portion; and, the visible part of the first portion is displayed while the device is receiving the second portion from the remote server.
 14. (new) The method of claim 13, wherein before the second portion is received at the device, a predetermined color is display to represent the second portion of the image.
 15. (new) The method of claim 10, wherein the first portion is larger than an area on the display allocated for displaying the first web page.
 16. (new) The method of claim 10, wherein the first portion of the image is equal in size to a browser window which is allocated to display the first web page on the display of the device.
 17. (new) The method of claim 10, further comprising:
receiving at the device user input for a second web page;
storing the first and second portions of the first image of the first web page on the device in a compressed format;
sending from the device to the remote server a request for the second web page;
automatically receiving at the device from the remote server in a compressed format a portion of an image of the entire second web page; and
displaying, on the display of the device, at least a part of the portion of the image of the entire second web page.

18. (new) The method of claim 17, further comprising:
receiving at the device user input to view the first web page after a part of the image
of the second web page is displayed on the display of the device;
storing the portion of the image of the second web page in a compressed format on
the device; and
displaying a portion of the first image of the first web page according to the first and
second portions of the first image of the first web page stored on the device.
19. (new) The method of claim 17, further comprising:
receiving at the device user input to view the first web page after a part of the image
of the second web page is displayed on the display of the device;
storing the portion of the image of the second web page in a compressed format in
memory of the device; and
automatically displaying the second portion of the first image of the first web page.
20. (new) The method of claim 19, wherein a last displayed portion of the first image of
the first web page is automatically displayed in response to the user input to view the
first web page.
21. (new) The method of claim 10, further comprising:
sending from the device to the remote server a second request for the first web page;
and
automatically receiving at the device from the remote server in a compressed format a
third portion of a second image of the entire first web page, the third portion

of the second image corresponding to the first and second portions of the first image of the first web page.

- A2
22. (new) A method to serve Internet content, the method comprising:
- receiving at a server from a remote device a first request for a first web page;
 - rendering a first portion of a first image of the entire first web page from information defining the first web page;
 - selectively transmitting from the server to the remote device in a compressed format the first portion of the first image of the entire first web page for display on a display of the remote device;
 - receiving, at the server from the remote device, data indicating user input to display a second portion of the first image of the entire first web page on the remote device;
 - rendering the second portion of the first image of the entire first web page from the information defining the first web page;
 - responsive to the data indicating the user input to display the second portion, transmitting from the server to the remote device in a compressed format the second portion of the first image of the entire first web page only when the second portion of the first image has not been transmitted from the server to the remote device;
 - wherein at least one of the first and second portions of the first image is rendered at the server from information including text.

- Az
23. (new) The method of claim 22, wherein the server renders the entire first image of the entire first web page, including the first and second portions, in response to the first request for the first web page.
24. (new) The method of claim 22, wherein the server retrieves the information defining the first web page from the Internet in response to the first request for the first web page.
25. (new) The method of claim 22, wherein the user input to display the second portion of the first image of the entire first web page comprises input to scroll.
26. (new) The method of claim 22, wherein the first portion is larger than an area on the display allocated for displaying the first web page.
27. (new) The method of claim 22, wherein the first portion of the image is equal in size to a browser window which is allocated to display the first web page on the display of the remote device.
28. (new) The method of claim 22, further comprising:
receiving at the server from the remote device a request for a second web page;
storing information about the first and second portions of the first image of the first web page at the server;
rendering at least a portion of an image of the entire second web page from information defining the second web page; and

transmitting from the server to the remote device in a compressed format the portion of the image of the entire second web page for displaying on the display of the remote device.

29. (new) The method of claim 28, further comprising:

receiving, at the server from the remote device, data indicating user input to display a third portion of the first image of the entire first web page on the remote device, after a part of the image of the second web page is transmitted for display on the remote device;

transmitting from the server to the remote device in a compressed format the third portion of the first image of the entire first web page only when the third portion of the first image has not been transmitted from the server to the remote device according to the information about the first and second portions of the first image of the first web page stored at the server.

30. (new) The method of claim 22, further comprising:

receiving at the server from the remote device a second request for the first web page;
and

retrieving refreshed information defining the first web page from the Internet in response to the second request;

rendering a third portion of a second image of the entire first web page from the refreshed information defining the first web page; and

automatically transmitting from the server to the remote device in a compressed format the third portion of the second image of the entire first web page, the

third portion of the second image corresponding to the first and second portions of the first image of the first web page.

31. (new) A device to view Internet content, the device comprising:
- means for sending to a remote server a first request for a first web page;
 - means for automatically receiving from the remote server in a compressed format a first portion of a first image of the entire first web page;
 - means for displaying, on a display of the device, at least a part of the first portion of the first image of the entire first web page;
 - means for receiving user input to display a second portion of the first image of the entire first web page;
 - means for transmitting, from the device to the remote server, data indicating the user input to display the second portion of the first image of the entire first web page;
 - means for receiving from the remote server in a compressed format the second portion of the first image of the entire first web page only when the second portion of the first image has not been transmitted from the remote server to the device;
 - means for displaying the second portion of the first image of the entire first web page on the display of the device;
 - wherein the first and second portions of the first image of the entire first web page are rendered at the remote server from information defining the first web page;
 - and
 - wherein at least one of the first and second portions of the first image is rendered at the remote server from information including text.

- Ar
32. (new) The device of claim 31, wherein the remote server retrieves the information defining the first web page from the Internet in response to the first request for the first web page.
33. (new) The device of claim 31, wherein the user input to display the second portion of the first image of the entire first web page comprises input to scroll.
34. (new) The device of claim 33, wherein the user input causes a visible part of the first portion being shown on the display of the device together with the second portion; and, the visible part of the first portion is displayed while the device is receiving the second portion from the remote server.
35. (new) The device of claim 34, wherein before the second portion is received at the device, a predetermined color is display to represent the second portion of the image.
36. (new) The device of claim 31, wherein the first portion is larger than an area on the display allocated for displaying the first web page.
37. (new) The device of claim 31, wherein the first portion of the image is equal in size to a browser window which is allocated to display the first web page on the display of the device.
38. (new) The device of claim 31, further comprising:
means for receiving user input for a second web page;

means for storing the first and second portions of the first image of the first web page on the device in a compressed format;
means for sending to the remote server a request for the second web page;
means for automatically receiving from the remote server in a compressed format a portion of an image of the entire second web page; and
means for displaying, on the display of the device, at least a part of the portion of the image of the entire second web page.

39. (new) The device of claim 38, further comprising:

Ar
means for receiving user input to view the first web page after a part of the image of the second web page is displayed on the display of the device;
means for storing the portion of the image of the second web page in a compressed format on the device; and
means for displaying a portion of the first image of the first web page according to the first and second portions of the first image of the first web page stored on the device.

40. (new) The device of claim 38, further comprising:

means for receiving user input to view the first web page after a part of the image of the second web page is displayed on the display of the device;
means for storing the portion of the image of the second web page in a compressed format in memory of the device; and
means for automatically displaying the second portion of the first image of the first web page.

41. (new) The device of claim 40, wherein a last displayed portion of the first image of the first web page is automatically displayed in response to the user input to view the first web page.
42. (new) The device of claim 31, further comprising:
means for sending to the remote server a second request for the first web page; and
means for automatically receiving from the remote server in a compressed format a third portion of a second image of the entire first web page, the third portion of the second image corresponding to the first and second portions of the first image of the first web page.
43. (new) A server to serve Internet content, the server comprising:
means for receiving from a remote device a first request for a first web page;
means for rendering a first portion of a first image of the entire first web page from information defining the first web page;
means for selectively transmitting to the remote device in a compressed format the first portion of the first image of the entire first web page for display on a display of the remote device;
means for receiving, from the remote device, data indicating user input to display a second portion of the first image of the entire first web page on the remote device;
means for rendering the second portion of the first image of the entire first web page from the information defining the first web page;

means for transmitting, responsive to the data indicating the user input to display the second portion, to the remote device in a compressed format the second portion of the first image of the entire first web page only when the second portion of the first image has not been transmitted from the server to the remote device;

wherein at least one of the first and second portions of the first image is rendered at the server from information including text.

- Ar
44. (new) The server of claim 43, wherein the server renders the entire first image of the entire first web page, including the first and second portions, in response to the first request for the first web page.
45. (new) The server of claim 43, wherein the server retrieves the information defining the first web page from the Internet in response to the first request for the first web page.
46. (new) The server of claim 43, wherein the user input to display the second portion of the first image of the entire first web page comprises input to scroll.
47. (new) The server of claim 43, wherein the first portion is larger than an area on the display allocated for displaying the first web page.
48. (new) The server of claim 43, wherein the first portion of the image is equal in size to a browser window which is allocated to display the first web page on the display of the remote device.

49. (new) The server of claim 43, further comprising:
means for receiving from the remote device a request for a second web page;
means for storing information about the first and second portions of the first image of
the first web page;
means for rendering at least a portion of an image of the entire second web page from
information defining the second web page; and
means for transmitting to the remote device in a compressed format the portion of the
image of the entire second web page for displaying on the display of the
remote device.
50. (new) The server of claim 49, further comprising:
means for receiving, from the remote device, data indicating user input to display a
third portion of the first image of the entire first web page on the remote
device, after a part of the image of the second web page is transmitted for
display on the remote device;
means for transmitting to the remote device in a compressed format the third portion
of the first image of the entire first web page only when the third portion of
the first image has not been transmitted from the server to the remote device
according to the information about the first and second portions of the first
image of the first web page stored at the server.
51. (new) The server of claim 43, further comprising:
means for receiving from the remote device a second request for the first web page;
and

means for retrieving refreshed information defining the first web page from the Internet in response to the second request;
means for rendering a third portion of a second image of the entire first web page from the refreshed information defining the first web page; and
means for automatically transmitting from the server to the remote device in a compressed format the third portion of the second image of the entire first web page, the third portion of the second image corresponding to the first and second portions of the first image of the first web page.

- Ar
52. (new) A machine readable medium containing executable computer program instructions which when executed by a data processing system cause said system to perform a method to view Internet content, the method comprising:
sending from a device to a remote server a first request for a first web page;
automatically receiving at the device from the remote server in a compressed format a first portion of a first image of the entire first web page;
displaying, on a display of the device, at least a part of the first portion of the first image of the entire first web page;
receiving, at the device, user input to display a second portion of the first image of the entire first web page;
transmitting, from the device to the remote server, data indicating the user input to display the second portion of the first image of the entire first web page;
receiving at the device from the remote server in a compressed format the second portion of the first image of the entire first web page only when the second portion of the first image has not been transmitted from the remote server to the device;

\
displaying the second portion of the first image of the entire first web page on the display of the device;

wherein the first and second portions of the first image of the entire first web page are rendered at the remote server from information defining the first web page;
and

wherein at least one of the first and second portions of the first image is rendered at the remote server from information including text.

- Ar
53. (new) The medium of claim 52, wherein the remote server retrieves the information defining the first web page from the Internet in response to the first request for the first web page.
54. (new) The medium of claim 52, wherein the user input to display the second portion of the first image of the entire first web page comprises input to scroll.
55. (new) The medium of claim 54, wherein the user input causes a visible part of the first portion being shown on the display of the device together with the second portion; and, the visible part of the first portion is displayed while the device is receiving the second portion from the remote server.
56. (new) The medium of claim 55, wherein before the second portion is received at the device, a predetermined color is display to represent the second portion of the image.
57. (new) The medium of claim 52, wherein the first portion is larger than an area on the display allocated for displaying the first web page.

58. (new) The medium of claim 52, wherein the first portion of the image is equal in size to a browser window which is allocated to display the first web page on the display of the device.

59. (new) The medium of claim 52, wherein the method further comprises:
receiving at the device user input for a second web page;
storing the first and second portions of the first image of the first web page on the device in a compressed format;
sending from the device to the remote server a request for the second web page;
automatically receiving at the device from the remote server in a compressed format a portion of an image of the entire second web page; and
displaying, on the display of the device, at least a part of the portion of the image of the entire second web page.

60. (new) The medium of claim 59, wherein the method further comprises:
receiving at the device user input to view the first web page after a part of the image of the second web page is displayed on the display of the device;
storing the portion of the image of the second web page in a compressed format on the device; and
displaying a portion of the first image of the first web page according to the first and second portions of the first image of the first web page stored on the device.

61. (new) The medium of claim 59, wherein the method further comprises:

receiving at the device user input to view the first web page after a part of the image of the second web page is displayed on the display of the device;
storing the portion of the image of the second web page in a compressed format in memory of the device; and
automatically displaying the second portion of the first image of the first web page.

62. (new) The medium of claim 61, wherein a last displayed portion of the first image of the first web page is automatically displayed in response to the user input to view the first web page.

Ar 63. (new) The medium of claim 52, wherein the method further comprises:
sending from the device to the remote server a second request for the first web page;
and
automatically receiving at the device from the remote server in a compressed format a third portion of a second image of the entire first web page, the third portion of the second image corresponding to the first and second portions of the first image of the first web page.

64. (new) A machine readable medium containing executable computer program instructions which when executed by a data processing system cause said system to perform a method to serve Internet content, the method comprising:
receiving at a server from a remote device a first request for a first web page;
rendering a first portion of a first image of the entire first web page from information defining the first web page;

selectively transmitting from the server to the remote device in a compressed format
the first portion of the first image of the entire first web page for display on a
display of the remote device;

receiving, at the server from the remote device, data indicating user input to display a
second portion of the first image of the entire first web page on the remote
device;

rendering the second portion of the first image of the entire first web page from the
information defining the first web page;

responsive to the data indicating the user input to display the second portion,

transmitting from the server to the remote device in a compressed format the
second portion of the first image of the entire first web page only when the
second portion of the first image has not been transmitted from the server to
the remote device;

wherein at least one of the first and second portions of the first image is rendered at
the server from information including text.

- A2
65. (new) The medium of claim 64, wherein the server renders the entire first image of
the entire first web page, including the first and second portions, in response to the
first request for the first web page.
66. (new) The medium of claim 64, wherein the server retrieves the information defining
the first web page from the Internet in response to the first request for the first web
page.

- Ar
67. (new) The medium of claim 64, wherein the user input to display the second portion of the first image of the entire first web page comprises input to scroll.
68. (new) The medium of claim 64, wherein the first portion is larger than an area on the display allocated for displaying the first web page.
69. (new) The medium of claim 64, wherein the first portion of the image is equal in size to a browser window which is allocated to display the first web page on the display of the remote device.
70. (new) The medium of claim 64, wherein the method further comprises:
receiving at the server from the remote device a request for a second web page;
storing information about the first and second portions of the first image of the first web page at the server;
rendering at least a portion of an image of the entire second web page from information defining the second web page; and
transmitting from the server to the remote device in a compressed format the portion of the image of the entire second web page for displaying on the display of the remote device.
71. (new) The medium of claim 70, wherein the method further comprises:
receiving, at the server from the remote device, data indicating user input to display a third portion of the first image of the entire first web page on the remote

device, after a part of the image of the second web page is transmitted for display on the remote device;

transmitting from the server to the remote device in a compressed format the third portion of the first image of the entire first web page only when the third portion of the first image has not been transmitted from the server to the remote device according to the information about the first and second portions of the first image of the first web page stored at the server.

72. (new) The medium of claim 64, wherein the method further comprises:
- receiving at the server from the remote device a second request for the first web page;
- and
- retrieving refreshed information defining the first web page from the Internet in response to the second request;
- rendering a third portion of a second image of the entire first web page from the refreshed information defining the first web page; and
- automatically transmitting from the server to the remote device in a compressed format the third portion of the second image of the entire first web page, the third portion of the second image corresponding to the first and second portions of the first image of the first web page.

73. (new) A method to view Internet content, the method comprising:
- sending from a device to a remote server a request for a web page;
- receiving at the device from the remote server in a compressed format at least a portion of an image of the entire web page, the portion of the image being rendered at the remote server from information including text;

selectively displaying the portion of the image on a display of the device according to
a user input to the device; and
automatically displaying the portion of the image on the display of the device in
response to a user input to return to the web page.

- Ar
74. (new) The method of claim 73, wherein the user input to return to the web page comprises a selection of a back icon displayed on the display of the device.
75. (new) The method of claim 73, wherein the portion of the image comprises an area of the image last displayed for the web page before the user input to return to the web page.
76. (new) The method of claim 73, further comprising:
receiving at the device from the remote server a plurality of portions of the image of
the entire web page;
storing on the device the plurality of portions of the image; and
scrolling the plurality of portions of the image on the device according to the plurality
of portions of the image stored on the device.
77. (new) The method of claim 73, further comprising:
storing on the device the portion of the image;
wherein the portion of the image is displayed on the display of the device using the
portion of the image stored on the device in response to the user input to
return to the web page.

- Ar
78. (new) A method to serve Internet content, the method comprising:
storing on a server information about a plurality of frequently visited locations of a web page for a remote device, the plurality of frequently visited locations being identified through user inputs to the remote device;
receiving at the server from the remote device a request for the web page;
rendering at least a portion of an image of the entire web page from information defining the web page, the portion of the image including the plurality of frequently visited locations;
transmitting in a compressed format the portion of the image from the server to the remote device in response to the request for the web page.
79. (new) The method of claim 78, wherein the user inputs comprise inputs to scroll to locations of the web page for display on the remote device.
80. (new) The method of claim 78, wherein a portion of the image which does not contain the plurality of frequently visited locations is not transmitted to the remote device in response to the request for the web page.
81. (new) The method of claim 78, wherein the information defining the web page is retrieved from the Internet in response to the request for the web page.
82. (new) The method of claim 81, wherein the portion of the image is rendered from information including text.

- Ar
83. (new) A method to view Internet content, the method comprising:
sending from a device to a remote server a request for a web page;
receiving at the device from the remote server in a compressed format a plurality of
portions of an image of the entire web page, the plurality of portions of the
image being rendered at the remote server from information including text;
and
storing on the device the plurality of portions of the image;
receiving a user input to the device to display an area of the image; and
displaying the area of the image according to the plurality of portions of the image
stored on the device.
84. (new) The method of claim 83, wherein the user input comprises scrolling the image
on the display of the device.
85. (new) The method of claim 84, wherein the user input comprises input to return to the
web page.
86. (new) The method of claim 85, wherein the input to return to the web page comprises
a selection of a back icon.
87. (new) The method of claim 86, wherein at least a portion of the image is not received
at the device when the input to return to the web page is received.
88. (new) The method of claim 87, further comprising:

receiving user input to display an area of the image, the area including the portion of the image not received at the device;
displaying a predetermined color to represent the portion of the image not received at the device until the portion of the image is received at the device.

89. (new) A device to view Internet content, the device comprising:
means for sending to a remote server a request for a web page;
means for receiving from the remote server in a compressed format at least a portion of an image of the entire web page, the portion of the image being rendered at the remote server from information including text;
means for selectively displaying the portion of the image on a display of the device according to a user input to the device; and
means for automatically displaying the portion of the image on the display of the device in response to a user input to return to the web page.
90. (new) The device of claim 89, wherein the user input to return to the web page comprises a selection of a back icon displayed on the display of the device.
91. (new) The device of claim 89, wherein the portion of the image comprises an area of the image last displayed for the web page before the user input to return to the web page.
92. (new) The device of claim 89, further comprising:
means for receiving from the remote server a plurality of portions of the image of the entire web page;

means for storing the plurality of portions of the image; and
means for scrolling the plurality of portions of the image on the device according to
the plurality of portions of the image stored on the device.

93. (new) The device of claim 89, further comprising:
means for storing on the device the portion of the image;
wherein the portion of the image is displayed on the display of the device using the
portion of the image stored on the device in response to the user input to
return to the web page.

94. (new) A server to serve Internet content, the server comprising:
means for storing information about a plurality of frequently visited locations of a
web page for a remote device, the plurality of frequently visited locations
being identified through user inputs to the remote device;
means for receiving from the remote device a request for the web page;
means for rendering at least a portion of an image of the entire web page from
information defining the web page, the portion of the image including the
plurality of frequently visited locations;
means for transmitting in a compressed format the portion of the image from the
server to the remote device in response to the request for the web page.

95. (new) The server of claim 94, wherein the user inputs comprise inputs to scroll to
locations of the web page for display on the remote device.

96. (new) The server of claim 94, wherein a portion of the image which does not contain the plurality of frequently visited locations is not transmitted to the remote device in response to the request for the web page.
97. (new) The server of claim 94, wherein the information defining the web page is retrieved from the Internet in response to the request for the web page.
98. (new) The server of claim 97, wherein the portion of the image is rendered from information including text.
99. (new) A device to view Internet content, the device comprising:
sending from a device to a remote server a request for a web page;
receiving at the device from the remote server in a compressed format a plurality of
portions of an image of the entire web page, the plurality of portions of the
image being rendered at the remote server from information including text;
and
storing on the device the plurality of portions of the image;
receiving a user input to the device to display an area of the image; and
displaying the area of the image according to the plurality of portions of the image
stored on the device.
100. (new) The device of claim 99, wherein the user input comprises scrolling the image on the display of the device.

101. (new) The device of claim 100, wherein the user input comprises input to return to the web page.
102. (new) The device of claim 101, wherein the input to return to the web page comprises a selection of a back icon.
103. (new) The device of claim 102, wherein at least a portion of the image is not received at the device when the input to return to the web page is received.
104. (new) The device of claim 103, further comprising:
receiving user input to display an area of the image, the area including the portion of the image not received at the device;
displaying a predetermined color to represent the portion of the image not received at the device until the portion of the image is received at the device.
105. (new) A machine readable medium containing executable computer program instructions which when executed by a data processing system cause said system to perform a method to view Internet content, the method comprising:
sending from a device to a remote server a request for a web page;
receiving at the device from the remote server in a compressed format at least a portion of an image of the entire web page, the portion of the image being rendered at the remote server from information including text;
selectively displaying the portion of the image on a display of the device according to a user input to the device; and

automatically displaying the portion of the image on the display of the device in response to a user input to return to the web page.

106. (new) The medium of claim 105, wherein the user input to return to the web page comprises a selection of a back icon displayed on the display of the device.
107. (new) The medium of claim 105, wherein the portion of the image comprises an area of the image last displayed for the web page before the user input to return to the web page.
108. (new) The medium of claim 105, wherein the method further comprises:
receiving at the device from the remote server a plurality of portions of the image of
the entire web page;
storing on the device the plurality of portions of the image; and
scrolling the plurality of portions of the image on the device according to the plurality of portions of the image stored on the device.
109. (new) The medium of claim 105, wherein the method further comprises:
storing on the device the portion of the image;
wherein the portion of the image is displayed on the display of the device using the portion of the image stored on the device in response to the user input to return to the web page.

110. (new) A machine readable medium containing executable computer program instructions which when executed by a data processing system cause said system to perform a method to serve Internet content, the method comprising:
storing on a server information about a plurality of frequently visited locations of a web page for a remote device, the plurality of frequently visited locations being identified through user inputs to the remote device;
receiving at the server from the remote device a request for the web page;
rendering at least a portion of an image of the entire web page from information defining the web page, the portion of the image including the plurality of frequently visited locations;
transmitting in a compressed format the portion of the image from the server to the remote device in response to the request for the web page.
111. (new) The medium of claim 110, wherein the user inputs comprise inputs to scroll to locations of the web page for display on the remote device.
112. (new) The medium of claim 110, wherein a portion of the image which does not contain the plurality of frequently visited locations is not transmitted to the remote device in response to the request for the web page.
113. (new) The medium of claim 110, wherein the information defining the web page is retrieved from the Internet in response to the request for the web page.

114. (new) The medium of claim 113, wherein the portion of the image is rendered from information including text.

115. (new) A machine readable medium containing executable computer program instructions which when executed by a data processing system cause said system to perform a method to view Internet content, the method comprising:
sending from a device to a remote server a request for a web page;
receiving at the device from the remote server in a compressed format a plurality of portions of an image of the entire web page, the plurality of portions of the image being rendered at the remote server from information including text;
and
storing on the device the plurality of portions of the image;
receiving a user input to the device to display an area of the image; and
displaying the area of the image according to the plurality of portions of the image stored on the device.

116. (new) The medium of claim 115, wherein the user input comprises scrolling the image on the display of the device.

117. (new) The medium of claim 116, wherein the user input comprises input to return to the web page.

118. (new) The medium of claim 117, wherein the input to return to the web page comprises a selection of a back icon.

119. (new) The medium of claim 118, wherein at least a portion of the image is not received at the device when the input to return to the web page is received.

Ar
- 1
u

120. (new) The medium of claim 119, wherein the method further comprises:
receiving user input to display an area of the image, the area including the portion of
the image not received at the device;
displaying a predetermined color to represent the portion of the image not received at
the device until the portion of the image is received at the device.
